

FCA FLEET

LAW ENFORCEMENT VEHICLES



DODGE CHARGER ENFORCER ★ DODGE DURANGO SPECIAL SERVICE ★ RAM 1500 SPECIAL SERVICE

PERFORMANCE MEETS CAPABILITY



The FCA Law Enforcement and Special Service vehicles deliver what counts: **proven power, exceptional safety and security, and remarkably efficient performance.**

Led by the muscular 5.7L HEMI® V8-powered all-wheel drive Dodge Charger Enforcer police vehicle, **this dedicated lineup now covers virtually every vehicle segment.** Carrying the pickup class is the Ram 1500 Special Service, a spacious Crew Cab with the **attitude and reliability that create the ideal partner.** When only an SUV will do the job, the super-capable Dodge Durango Special Service is the answer and the portfolio grew significantly last year with the introduction of the spacious and upfit-friendly Ram ProMaster™ models. With **multiple best-in-class features (including class-leading standard payload and turning diameter⁽¹⁾),** Ram ProMaster enables departments of all sizes with proven **performance and a smartly designed, ready-for-upfit interior** that invites virtually unlimited possibilities for customization. The common DNA? **Quality. Every vehicle features our unsurpassed and fully transferable 5-Year/100,000-Kilometre Powertrain Limited Warranty.⁽²⁾**

5YR/100,000 KM
POWERTRAIN LIMITED WARRANTY[®]

5YR/160,000 KM
POWERTRAIN EXTENDED
SERVICE PLAN[®]

As tough as the vehicles themselves: augmenting the bumper-to-bumper 3-Year/60,000-Kilometre Basic Limited Warranty⁽²⁾ is the impressive protection of the 5-Year/100,000-Kilometre Powertrain Limited Warranty⁽²⁾ and exclusive to Charger Enforcer, the 5-Year/160,000-Kilometre Powertrain Extended Service Plan⁽²⁾. Covering the engine, transmission and drive axles, it's fully transferable — a bottom-line advantage to your jurisdiction when it comes to resale value.



AUTHORITY WITH NO COMPROMISES



Dodge Charger Enforcer. All-wheel drive (AWD) and rear-wheel drive (RWD) versions. Outstanding build quality that focuses on strength and durability. Significant improvements inside and out give Enforcer greater street presence, tougher performance characteristics—and greater officer safety.

ALL MODELS: ALL-NEW EXTERIOR.

Modified front end with new fascia. New, terrain-friendly rear end. New sculpted hood. New treatments to headlamps and rear lights that offer greater visibility.

NEW ELECTRIC POWER STEERING.

For RWD Charger Enforcer, we've employed non-contacting torque and position sensors, new integrated controller and new brushless DC motor. Benefits include improved fuel economy, brake distribution rejection and wheel balance rejection.

INTUITIVE AND INTELLIGENT ALL-WHEEL DRIVE.


Our system is so sophisticated, it senses the need for control—and automatically responds, switching from RWD into AWD with no operator input required.

The triggers that engage AWD include activation of the windshield wipers, employment of the Auto/Stick™ when the outside temperature is below approximately 4°C—and more. With its active transfer case and front axle disconnect, count on no-nonsense road manners with the strength and reliability of a tuned performance suspension.



NEW BRAKES: BIGGER, BETTER, BREATHING EASIER.

Charger Enforcer brakes feature larger rotors (now upped to a 370 mm diameter and a 32 mm width on front rotors), enhanced front and rear calipers (now cast iron, with larger brake pads), and new iron camber-link/cross-axis ball joints (tougher and more durable). We also added new specific brake ducts to force more air into the system and optimize braking performance.



BENEFITS: a superior 100 – 0 km/h stopping distance; outstanding braking over a wide range of road surfaces, grades and weather conditions; greater longevity, minimizing maintenance.

NEVER SETTLE FOR SECOND PLACE



When only first place will do, Charger Enforcer is ready to achieve it. Racetrack-inspired transmission technology and award-winning engines stand ready to serve.

THE POWER OF PENTASTAR™
So refined and efficient, the 3.6L Pentastar Variable Valve Timing (VVT) V6 engine has won major awards for its performance attributes. It's a natural for this tough application.

THE LEGENDARY HEMI® V8.
With its 370 horsepower, the 5.7L HEMI VVT V8 with FuelSaver Multi-Displacement System (MDS) (available for RWD models and standard on AWD Enforcer) delivers uncompromising performance.



3.6L PENTASTAR V6



5.7L HEMI V8

STANDARD	TRANSMISSION	FUEL ECONOMY*
3.6L Pentastar VVT V6 292 hp @ 6,350 rpm 260 lb-ft of torque @ 4,800 rpm	5-speed Auto/Stick™ rear-wheel drive	City: 13.7 L / 100 km (21 mpg) Highway: 8.9 L / 100 km (32 mpg)
STANDARD AWD / AVAILABLE RWD		
5.7L HEMI VVT V8 with FuelSaver MDS 370 hp @ 5,250 rpm 395 lb-ft of torque @ 4,200 rpm	5-speed Auto/Stick rear-wheel drive	City: 15.7 L / 100 km (18 mpg) Highway: 9.6 L / 100 km (29 mpg)
	5-speed Auto/Stick all-wheel drive	City: 16.1 L / 100 km (18 mpg) Highway: 10.0 L / 100 km (28 mpg)

*Based on 2015 *EnerGuide* fuel consumption ratings. New Government of Canada 5-cycle test method used. Your actual fuel consumption will vary based on driving habits and other factors. For details on the new fuel economy test methods or other *EnerGuide* information, please ask your retailer or visit the Government of Canada Web site: www.vehicles.nrcan.gc.ca



FIVE-SPEED AUTOMATIC TRANSMISSION WITH AUTO/STICK.
Exclusive to Dodge Charger Enforcer. The Auto/Stick function allows drivers to manually control critical up- and downshifting for phenomenal control on the highway — while meeting the varying and unpredictable dynamics of typical city and suburban driving. Driver-oriented and racetrack-inspired, Auto/Stick offers convenient, electronically controlled rocker switches on the column-mounted shifter; access and response are instant.

THE RIGHT TO MOVE FREELY



Charger Enforcer is designed to be a practical workspace.

UNCOMPROMISING PROTECTION.

Steering column and steering wheel feature energy-absorbing construction. Seats are positioned over an advanced high-strength steel frame with crossmembers engineered to reduce vehicle twisting. The roof structure utilizes advanced high-strength steel for outstanding resilience. Transformation Induced Plasticity (TRIP) steel in the body provides weight efficiencies while still meeting stringent side-impact objectives.

CUSTOM-DESIGNED FOR POLICE WORK.

Standard Vehicle System Interface Module (VSIM) streamlines upfits—now with new programmable switches. Customized seats feature a designed-in “scoop” to accommodate a duty belt. Column-mounted shifter opens up room for laptops. Seven-inch customizable in-cluster display centre shows full, vibrant colour with crisp clarity. Centre console with USB port joins a cruiser pre-wired for connectivity.

NEW: FLEET PARK ASSIST GROUP AND STANDARD SECURE PARK SYSTEM.

Available for Enforcer: the new Fleet Park Assist Group, which bundles Park-Sense® Rear Park Assist⁽³⁾ (detects objects when in Reverse at low speeds, with audible chimes and readouts displayed in the cluster) and ParkView® Rear Back-up Camera⁽³⁾ (provides a wide-angle view of the rear area, displaying on the Uconnect® touchscreen; on-screen dynamic grid lines help guide vehicle into narrow parking spaces). Standard equipment on Charger Enforcer includes the indispensable Secure Park: prevents idling cars from being driven without the key fob present in the vehicle.

ESCAPING NOTICE: THE STEALTH MODE.

Transform Charger Enforcer into an undercover observer. Stealth Mode shuts off strategic interior lights and dims lighting on the in-cluster display and Uconnect screen. A low-intensity red dome light provides minimal interior illumination, making the cruiser virtually invisible to the outside world.

BUILT TO PROTECT AND SERVE



INSIDE AND OUT, IT'S ALL ABOUT SAFETY.

These jobs rank among the most challenging—which is why our engineers **made occupant safety a top priority in every vehicle in the entire lineup.** Charger Enforcer exemplifies the extra efforts: this is a vehicle designed to protect those who protect us all.

ADVANCED, HIGH-STRENGTH PROTECTION.

Our focus on safety and security encompasses every vehicle in this portfolio.

Using Charger Enforcer to illustrate this commitment, features range from toughened side-door guard beams, increased roof strength and reactive front head restraints⁽⁴⁾ to three air bag⁽⁵⁾ systems: advanced multistage driver and front passenger; all-row, full-length side-curtain; and driver and front passenger seat side-mounted air bags.⁽⁵⁾ The Dodge Charger Enforcer unibody employs advanced high-strength steels placed in strategic positions. **Our high-strength steel is the same material that supports bridges and skyscrapers, and the steel used to protect the interior is similar to that used in submarine hulls.** Strength is so formidable, it meets or exceeds tough federal requirements and those used by the respected Insurance Institute for Highway Safety (IIHS) in its protocols.

AUTOMATIC LOCK-UP WITH SECURE PARK: ENFORCER STANDS ALONE—AND ON TOP.

It's standard equipment on every Charger Enforcer—and protects an unoccupied Enforcer from theft while idling. With the fob in the officer's possession, and Secure Park activated, the vehicle cannot be driven without the fob. Secure Park maintains power for police equipment (emergency lights, etc.) while eliminating the worry and possibility of vehicle removal by an unauthorized person.

CHARGER ENFORCER CONTROL: ESC⁽⁶⁾ AND PERFORMANCE SUSPENSION.

Technical variations of the comprehensive Electronic Stability Control (ESC)⁽⁶⁾ system are on every vehicle in our Law Enforcement portfolio. **Each is engineered explicitly for the specific vehicle and its unique properties.** The Dodge Charger Enforcer version employs ultra-large rotors in the upgraded four-wheel, heavy-duty antilock brake system (ABS), with All-Speed Traction Control adding to overall confidence. **The Enforcer ESC⁽⁶⁾ system is a responsive, two-mode driver-controlled version; officers can choose between full or partial functionality, based on conditions and preference.**

FRONTAL CRASH MANAGEMENT ZONE.
Energy-absorbing frame rails work to direct impact energy and manage energy absorption.

INTERIOR HEAD IMPACT PROTECTION.
Strategically positioned urethane foam inserts in the pillars, headers and roof rails increase roof rigidity and aid in the event of interior head impact.

COVERING YOUR BACK AND SIDES.
The available tough front steel seatback panel inserts help protect officers from rear-seat detainees with a sharp object.

SIDE-DOOR GUARD BEAMS.
Mounted strategically across the interior door panels to protect against side impacts.

BRAKE ASSIST.
Applies continuous and maximum braking pressure in the event of a panic or emergency stop.

REAR CRASH MANAGEMENT ZONE.
Built to absorb and dissipate crash energy around the occupant compartment.


SAFETY CAGE BODY STRUCTURE.
We employ high-strength steel, aluminum and advanced plastics, all designed to support the Frontal Crash Management Zone and to redirect crash energy away from the occupant compartment.

BALLISTIC DOOR PANELS.
Available inserts are so strong, they exceed the rigorous NJ Level III standards.


CROSS-CAR IMPACT BEAMS.
Contribute to structural rigidity and work to decrease body twisting.

RAIN BRAKE SUPPORT.
When the windshield wipers are engaged, this standard system occasionally pushes brake pads lightly against rotors to keep them dry.

NEW, MORE VISIBLE REAR LIGHTS.
They give Enforcer greater outward visibility and presence to further protect officers.



UPFITS: EASY, FAST, ECONOMICAL



A NEW À LA CARTE ORDERING SYSTEM WITH MOPAR® FACTORY OPTIONS.

Mopar factory options offer a **new turnkey solution to customize your Charger Enforcer to your exact needs**. Easy-to-order à la carte aftermarket products from established suppliers give you competitive pricing, faster responses and convenient invoicing through your retailer. **Every one is specifically engineered for Enforcer, and every one is covered by our 3-Year/60,000-Kilometre Warranty.⁽²⁾**

BASE POLICE PREP PACKAGE (AYE).

Our comprehensive Base Police Prep Package is the start; all options build on this. Included:

- Front and Rear Wire Harness
- Power Distribution Centre
- Siren Speaker and Bracket
- Trunk Tray
- Cooling Fan

BALLISTIC DOOR PANELS (XDV, XDG).

Stay safer should you encounter gunfire. Our available ballistic front-door panels can withstand significant firepower, repelling calibres with such strength that they exceed the standards established by the National Institute of Justice (NIJ) for Level III protective devices.

STEEL SEATBACK PANEL INSERTS (CBT).

Available front steel seatback inserts protect officers from rear-seat detainees who might have a sharp object.

VINYL GRAPHIC VEHICLE WRAPS.

Chip-resistant, ready to protect and under warranty, these wraps personalize the identity of your Charger Enforcer, and fit with custom-cut accuracy. Wraps can be applied to the front doors only (M2B), all doors (M2C), roof (M3G), hood (M3F) and deck lid (M3H).

POLICE WIRING PREP PACKAGE (AYW).

Indispensable to police operations, the Police Wiring Prep Package includes all harnesses for easy aftermarket installation of electronics. Complete details are to the right.

SPARE TIRE RELOCATION BRACKET (TBH).

Required with the Base Police Prep Package. Spare tire bracket is relocated to fit neatly beneath the trunk tray.

COMPREHENSIVE: THE POLICE WIRING PREP PACKAGE (AYW) AND POWER DISTRIBUTION CENTRE.

Electrical engineering at its best: full wiring harness and distribution centre for fast, economical upfits.

- 220-amp Power Distribution Centre
- Two 100-amp main fuses and relays for all added circuits
- Thirteen pre-wired light head locations with power for lightbars and interior lighting needs
- Clearly labelled circuits for all police equipment, with coded wires and connectors throughout the system
- Complete system grounding points for easy and reliable connections
- Horn sense circuits with trunk accessibility to this frequently used device
- Timer jumper wire with ignition sense—a design that simplifies the installation of cameras, computers, ticket printers and modems

RAM 1500 SPECIAL SERVICE



Heavy-duty in attitude and design, this Ram 1500 Crew Cab model covers it all: impressive comfort and capability with proven strength—ideal credentials for a Special Service pickup.

BENCHMARK CAPACITY—EVERYWHERE.

This generous interior delivers impressive comfort for five, unique rear in-floor storage bins (removable and drainable), and underseat storage. To that, add 4x4 engineering, a heavy-duty 220-amp alternator, a 5-foot 7-inch cargo bed with available factory-installed spray-in bedliner, and a Class IV hitch receiver delivering commercial-grade towing and payload numbers.

WORKHORSE-LEVEL CAPABILITY.

Cargo-carrying and trailering with this pickup comes from a heritage of meeting industrial-level needs. When properly equipped, towing maxes out at **4609 kg (10,160 lb)**, with payload and hauling capacity that reaches up to **703 kg (1550 lb)**.

EXCEPTIONAL HEMI® V8 PERFORMANCE.

The best engine for Special Service needs: the legendary 5.7L HEMI V8 with Variable Valve Timing (VVT), FuelSaver Multi-Displacement System (MDS) technology churning out an authoritative 395 hp and 410 lb-ft of torque.



UNCOMPROMISING FLEXIBILITY



RAMBOX.® WE WROTE THE LAW ON CARGO-CARRYING VERSATILITY.

The available and class-exclusive⁽⁷⁾ RamBox Cargo Management System. So remarkably flexible and helpful, it stands out in the class as an innovative and stand-alone solution when you need a versatile and practical means to transport equipment.

RamBox Cargo Management System is comprehensive, built around two huge side bins that still allow flat transport of standard 4x8 materials in the cargo bed. Capable of carrying and storing multiple tools and equipment, each RamBox is waterproof, illuminated, drainable, and lockable by the key fob, if so equipped.

The RamBox System further employs a lightweight and robust bed extender/divider (stored at the front of the bed when not in use). The extender/divider lengthens cargo-carrying to the end of the tailgate and can flip to divide cargo within the bed space. Adjustable bed rails and tie-down cleats are also included.

Authentic Accessories by Mopar® offer the finishing touches. Below right: the perfectly fitting available "holster" to secure long guns. RamBox sets this Ram Special Service vehicle apart from any other out there. You can find out more anytime at ramtruck.ca



DODGE DURANGO SPECIAL SERVICE



One fully equipped Special Service SUV. Two outstanding engine choices. And from there, multiple improvements to the civilian version that serve to set this Durango Special Service vehicle dramatically apart. This is where capability, a huge interior for people and cargo, and benchmark performance perfectly meld with outstanding safety and security features.

ALL-WHEEL DRIVE (AWD).

Durango Special Service ramps up all-around capability with standard all-wheel drive that offers serious traction and road manners on a wide variety of streets and road surfaces.

CAPABILITY THAT COMPLETELY MEASURES UP.

The available Trailer Tow Group IV boosts capability to the levels demanded by Special Service needs. This Durango achieves up to 3265 kg (7,200 lb) best-in-class⁽⁸⁾ trailering when properly equipped.

SO COMPLETELY OUTFITTED, IT WARRANTS ITS OWN MODEL.

The Special Service model separates this tough-as-nails Durango from the civilian versions. In short, amenities here include a battery upgraded to 800 cold cranking amps; heavy-duty engine cooling, also upgraded; heavy-duty 220-amp alternator to handle the ancillary electronics; heavy-duty brakes; spotlight wiring prep; a rear load-levelling suspension system—and much more.

STANDARD POWER: THE 3.6L PENTASTAR™ V6.

Right off the bat, Durango Special Service delivers strength with built-in economies of scale. The Pentastar V6 is E85- (ethanol-) compatible, delivering 290 hp/260 lb-ft of torque. It's backed with the fluidly smooth performance of the class-exclusive 8-speed automatic transmission⁽⁸⁾.

UNQUESTIONABLY IN CHARGE: THE 5.7L HEMI® V8.

Certain Special Service needs demand one of our finest powerplants. The available 5.7L HEMI V8 is more than a legend at your service. Rely on 360 hp and 390 lb-ft of torque for every ounce of capability required by the job—and add the accountant- and bottom-line-friendly FuelSaver Multi-Displacement System (MDS) to get the most from every drop of unleaded regular.



RAM PROMASTER™: BEST-IN-CLASS WHERE IT COUNTS THE MOST



A VAN FIT FOR ANY UPFIT.

With 14 possible configurations, and towing up to 2,318 kilograms (5,100 pounds) when properly equipped, Ram ProMaster™ models are designed to meet every need. Shown left, this 159-inch wheelbase 3500 Cargo Van with available High Roof is outfitted as a transport van, an aftermarket upfit.

POWERFUL DRIVETRAINS.

Standard powertrain: 3.6L Pentastar™ VVT V6 and 6-speed automatic, with 280 horsepower and 260 lb-ft of torque. Available: the torque-friendly 3.0L EcoDiesel I-4 mated to a class-exclusive 6-speed automated manual transmission⁽¹⁾

SAFETY AND SECURITY.

Impressive standard safety and security features include Electronic Stability Control (ESC)⁽⁶⁾ and an advanced air bag⁽⁵⁾ system. The available high-mounted ParkView® Rear Back-up Camera System⁽³⁾ improves confidence and adds to capability when backing up.

Flexible. Strong. Versatile. Count on three wheelbases, four body lengths, two roof heights and so many best-in-class features, they create the ideal Special Service partner.

BEST-IN-CLASS⁽¹⁾

- **STANDARD PAYLOAD.** It's a class-leading 2,018 kilograms (4,440 pounds).
- **STANDARD CARGO CAPACITY.** 13,108 litres (462.9 cubic feet) of interior cargo space.
- **TURNING DIAMETER.** With the 118-inch wheelbase, a mere 11 metres (36.3 feet).
- **LOWEST LOAD FLOOR HEIGHT.** Only 533 millimetres (21 inches) from ground to flat floor.
- **STANDARD INTERIOR CARGO HEIGHT.** Standard roof: 1,651 millimetres (65 inches); available High Roof: 1,930 millimetres (76 inches) from floor to ceiling.
- **CARGO WIDTH BETWEEN THE WHEEL WELLS.** Rear- or side-loading both accommodate a typical pallet.

CLASS-EXCLUSIVE⁽¹⁾

- **AUTOMATED MANUAL TRANSMISSION.** Mated to the EcoDiesel: delivers the efficiency of a manual with the convenience of an automatic.
- **FRONT-WHEEL DRIVE (FWD).** Lower load floor, superb road manners and economical use of space.

A 2014 EDMUNDS.COM "BEST RETAINED VALUE" AWARD. Outstanding performance meets exceptional resale value.

OUTSTANDING POWERTRAIN WARRANTY. Our 3-Year/60,000-Kilometre Basic Limited Warranty⁽²⁾ is backed by our fully transferable 5-Year/100,000-Kilometre Powertrain Limited Warranty⁽²⁾



RAM PROMASTER™

SELECTED FEATURES AND OPTIONS	Cargo	Window	Chassis Cab	Cutaway
ENGINES & TRANSMISSIONS				
3.0L EcoDiesel I-4 Engine with 6-speed Automated Manual (EXG)	0	0	0	0
3.6L Pentastar™ VVT V6 with 6-speed Automatic (ERB)	•	•	•	•
MECHANICAL FEATURES				
Alternator — 180-amp (BAD)	•	•		
— 220-amp (included with diesel) (BAJ)	O/P	O/P	•	•
Battery — 95-amp (BCY)	•	•	•	•
— 100-amp (included with diesel) (BDC)	P	P	P	P
Cruise Control (NHM)	0	0	0	0
Electronic Stability Control ⁽⁶⁾ (BNB)	•	•	•	•
Engine Block Heater (diesel only) (NHK)	0	0	0	0
Fuel Tank — 90.8-litre (NFE)	•	•	•	•
EXTERIOR FEATURES				
Daytime Running Lamps (LMK)	•	•	•	•
Doors, Rear — 260-degree-opening (GLF)	•	•		
Extended Wiring — Taillamp (XGF)			•	•
Front Fog Lamps (included with Premium Appearance Group) (LNI)	P	P	P	P
Halogen Headlamps (LMA)	•	•	•	•
Mirrors — 96-inch extended, power heated, manual folding (XZP)			•	•
— Manual folding (GTP)	•	•		
— Power folding, heated (GTR)	0	0		
Roof Clearance Lamps — Front (LNC)	•	•	•	•
— Rear (LNG)	•	•		
Silver-painted Grille (included with Premium Appearance Group) (MFD)	P	P	P	P
Window Defroster — Rear (GFA)	0	0		
INTERIOR FEATURES				
12-volt Auxiliary Power Outlet — Front (JJI)	•	•	•	•
— Rear (JKP)	0	0		
Air Conditioning — Delete (HCD)	0	0	0	0
— Manually controlled, with heat (HAA)	•	•	•	•
Cargo Compartment Floor Mat (CKL)	0			
Cargo Area Lamps (LPE)	•	•		

SELECTED FEATURES AND OPTIONS	Cargo	Window	Chassis Cab	Cutaway
INTERIOR FEATURES (CONTINUED)				
Cargo Partition — None (CTP)	•	•		
— With sliding window (XJ1)	0			
— Without window (CWC)	0			
Cargo Tie-downs — Floor	•	•		
— Side wall (included with Cargo Convenience Group) (CKT)	P	P		
Locking Glove Box (included with Interior Convenience Group) (JKA)	P	P	P	P
Navigation ⁽⁹⁾ (JLN)	0	0	0	0
Overhead Storage (included with Interior Convenience Group) (CTA)	P	P	P	P
Power Door Locks	•	•	•	•
Rear Door Storage Net (packaged with Cargo Convenience Group) (CKR)	P	P		
Rear Heater and Air Conditioning Prep (HDG)	0	0	0	0
Seating Surfaces — Cloth (*A7)	•	•	•	•
— Vinyl (*B7)	0	0	0	0
Seats — 4-way manually adjustable driver and passenger bucket (CDN) (CDT)	•	•	•	•
— 6-way adjustable driver with lumbar (N/A with driver suspension seat or passenger swivel seat) (CDL)	0	0	0	0
— 6-way adjustable driver/passenger with lumbar (N/A with passenger double seat or driver suspension seat) (CDU)	0	0	0	0
— Driver suspension (N/A with heated driver seat) (CXX)	0	0	0	0
— Driver swivel (CEA)	0	0	0	0
— Heated driver (requires 6-way adjustable driver seat) (CMB)	0	0	0	0
— Heated passenger (requires 6-way adjustable driver/passenger seats) (CMC)	0	0	0	0
— Passenger double (CAA)	0	0		
— Passenger seat delete (CD9)	0	0	0	0
— Passenger swivel (CHR)	0	0	0	0
Steering Column — Telescoping (SUC)	•	•	•	•
Steering Wheel — Leather-wrapped (SCC)	0	0	0	0
Tire Pressure Monitoring Display (XGM)	•	•	•	•
Upfit Interface Connectors (BC3)	0	0	0	0
Wall Panels — Lower side (CMG)	0	0		

SELECTED FEATURES AND OPTIONS	Cargo	Window	Chassis Cab	Cutaway
INTERIOR FEATURES (CONTINUED)				
— Upper and lower side (CTE)	0			
Windows — Power, one-touch down (JPY)	•	•	•	•
Wood Floor — Rear (CME)	0	0		
TECHNOLOGY				
Radio — AM/FM/MP3 radio (RH3)	•	•	•	•
— SiriusXM satellite radio with one-year subscription ⁽¹⁰⁾ (RSD)	0	0	0	0
— Uconnect® 5.0 multimedia centre with 5-inch touchscreen, AM/FM and hands-free communication with Bluetooth® streaming audio (RA2)	0	0	0	0
SAFETY & SECURITY				
Air Bags ⁽⁵⁾ — Six (CG3) (CJ1) (CJ4)	•	•	•	•
Park-Sense® Rear Park Assist ⁽³⁾ (XAA)	0	0		
ParkView® Rear Back-up Camera ⁽⁹⁾ (XAC)	0	0		
Rear Camera Wiring Prep (XA3)	•	•		
Remote Keyless Entry (GXM)	•	•	•	•
PACKAGES & EQUIPMENT GROUPS				
Cargo Convenience Group — Includes side-wall cargo tie-down rings and cargo net (AWF)	0	0		
Mopar® Cold Weather Front Grille Cover (diesel only) (XD6)	0	0	0	0
Interior Convenience Group — Includes underseat storage tray, windshield document holder, shelf above roof trim and locking glove box (AJV)	0	0	0	0
Premium Appearance Group — Includes silver-painted grille and fog lamps (ALU)	0	0	0	0
Trailer Tow Group — Class V hitch receiver and 4-/7-pin wiring harness (AHT)	0	0		

• = Standard. 0 = Optional. P = Available within Package noted in parentheses.



16-inch Steel Wheel Standard (WCS)



16-inch Steel Wheel with Cover Optional (W6A)



16-inch Aluminum Wheel Optional (WDN)

SPECIFICATIONS

ENGINES	TRANSMISSIONS	AXLE RATIO	GVWR* KG (LB)	PAYLOAD* KG (LB)	BASE CURB WEIGHT, KG (LB)	GAWR		GCWR* KG (LB)	TOWING CAPACITY* KG (LB)	CURB-TO-CURB TURNING DIAMETER, M (FT)
						FRONT, KG (LB)	REAR, KG (LB)			
3.6L Pentastar™ VVT V6	6-speed Automatic	3.86	4,241 (9,350)	1,964 (4,330)	2,276 (5,017)	2,100 (4,630)	2,400 (5,291)	5,216 (11,500)	2,313 (5,100)	14.3 (46.8)
3.0L EcoDiesel I-4	6-speed Automated Manual	4.56	4,241 (9,350)	1,855 (4,090)	2,385 (5,257)	2,100 (4,630)	2,400 (5,291)	5,670 (12,500)	2,313 (5,100)	14.3 (46.8)

*Note that all the Payload and Maximum Trailer Weights are ESTIMATED values. Payload is rounded down to the nearest 10 lb. Payload = GVWR – Base Wt. Payload and Maximum Trailer Weight are mutually exclusive. GCWR is a defined value from vehicle development in lb. The recommended tongue weight is 10% for a conventional hitch and 20% for 5th-wheel or gooseneck. Aftermarket hitch weight is not included in the Maximum Trailer Weight. Additionally, the hitch rating and the GAWRs and GVWRs should never be exceeded.



DIMENSIONS RAM 3500 PROMASTER CARGO VAN HIGH ROOF 159-INCH EXTENDED WHEELBASE ¹	
Vehicle Width without Mirrors	2,101 (82.7)
Vehicle Width with Mirrors Extended	2,489 (98.0)
Side Door Opening Width	1,250 (49.2)
Side Door Opening Height	1,753 (69.0)
Rear Doors Opening Width	1,575 (62.0)
Rear Doors Opening Height	1,791 (70.5)
Wheelbase	4,039 (159)
Overall Length	6,350 (250)
Vertical Interior Height	1,930 (76.0)

DIMENSIONS RAM 3500 PROMASTER CARGO VAN HIGH ROOF 159-INCH EXTENDED WHEELBASE ¹	
Overall Roof Height	2,565 (101.0)
Cargo Width (at wheel well)	1,422 (56.0)
Cargo Width (at side panel)	1,864 (73.4)
Load Floor Length	4,069 (160.2)
Cargo Volume, L (cu ft)	13,108 (162.9)
Rear Door Swing (degrees)	260

INTERIOR DIMENSIONS RAM 3500 PROMASTER CARGO VAN HIGH ROOF 159-INCH EXTENDED WHEELBASE ¹	
Interior Height	1,930 (76.0)
Width at Side Panel	1,864 (73.4)
Width at Wheel Well	1,422 (56.0)
TOTAL CARGO VOLUME, L (cu ft)	13,108 (162.9)

¹All dimensions are in mm (in) unless otherwise noted.

EXTERIOR COLOURS SPECIAL LOW-VOLUME PAINTS ARE ALSO AVAILABLE. SEE YOUR RETAILER FOR DETAILS.



DODGE DURANGO SPECIAL SERVICE

SELECTED FEATURES AND OPTIONS	
ENGINES & TRANSMISSIONS	
3.6L Pentastar™ V6 with 8-speed Automatic (ERC)	•
5.7L HEMI® V8 with 8-speed Automatic (EZH)	0
MECHANICAL FEATURES	
Exhaust System — Single rear exhaust on right side	•
— Dual rear exhaust with bright tips (packaged with 5.7L HEMI V8 engine) (NEX)	P
All-Wheel Drive Systems — Single-speed, full-time AWD (requires 3.6L V6 engine) (DHY)	•
— Two-speed, active-on-demand AWD (packaged with 5.7L HEMI V8 engine) (DKA)	P
Fuel Tank — 93.1-litre with power-locking fuel door (NF4)	•
Alternator — Heavy-duty 220-amp (BAJ)	•
Battery — 800-amp (BCF)	•
Brakes — Upgraded 4-wheel disc heavy-duty (BR8)	•
Engine Cooling — Upgraded heavy-duty (NMC)	•
Wiring Prep — Exterior spot lamp (LNQ)	•
Suspension — Rear load-levelling suspension (SES)	•
EXTERIOR FEATURES	
Fascia — Body-colour with accent-colour lower, includes bright insert on front fascia (MLH)	•
Grille — Brilliant Black surround and insert (MFF)	•
Liftgate Spoiler — Body-colour, includes CHMSL	•
Lighting, Exterior — Projector fog lamps (LNN)	•
— Automatic headlamps (on/off) actuate when ambient light is at low levels (LMG)	•
— Halogen headlamps (LMB)	•
— Chrome headlamp bezels (MFP)	•
Mirrors, Exterior — Power, manual folding with heating element (GTS)	•
Sill Mouldings — Accent-colour with bright insert (MRF)	•
Wheel Lip Mouldings — Accent-colour (MRD)	•

SELECTED FEATURES AND OPTIONS	
EXTERIOR FEATURES (CONTINUED)	
Wheels — 18-inch painted Tech Silver wheels (WPC)	•
Wiper System — Front, variable/intermittent (JHA)	•
— Rear, with fixed intermittent and continuous speeds, and washer (JHB)	•
INTERIOR FEATURES	
Air Conditioning — Tri-Zone Automatic Temperature Control, includes rear-seat outlets (HAH)	•
Air Filtration System (JMA)	•
Cargo Area — Carpeted, with storage tray and cargo tie-down loops in floor, driver's-side storage bin, 12-volt auxiliary power outlet	•
Console — Overhead front with two LED map lamps, dome lamp with red and white lighting (CUN)	•
— Full-length front floor console with two illuminated cup holders, two-tier armrest storage (CUF)	•
Lighting, Interior — Glove box lamp, front fixed LED map lamps, 2nd-row directional LED map lamps, courtesy door lamps, overhead console, rear passenger overhead reading/courtesy lamps, cargo compartment lamp, interior switch lighting and ambient LED lighting for the front door, inside handles and map pockets	•
Rearview Mirror — Auto-dimming (GN5)	•
Seating — Five-passenger configuration only (CYD)	•
Seats — Cloth bucket seats (*K7)	•
— Power 8-way adjustable driver's seat (JPR)	•
— Power 4-way driver's lumbar adjust (JPU)	•
— Front-passenger fold-flat seat (CDW)	•
Seats, 2nd-row — 60/40 split with head restraints ⁽⁴⁾ for the outboard seating positions (CFN)	•
Steering Wheel — Leather-wrapped, with audio and speed controls (RDZ) (SCV)	•
— Tilt/telescoping steering column (SUD)	•
TECHNOLOGY	
Radio — Uconnect® 5.0 multimedia centre with 5-inch touchscreen, AM/FM and hands-free communication ⁽¹¹⁾ with Bluetooth® streaming audio (RAZ)	•
Single-disc remote CD player (RM1)	0

SELECTED FEATURES AND OPTIONS	
TECHNOLOGY (CONTINUED)	
SiriusXM satellite radio with one-year subscription ⁽¹⁰⁾ (RSD)	0
SAFETY & SECURITY	
Air Bags ⁽⁵⁾ — Advanced multistage ⁽⁵⁾ driver and front-passenger, inflate with a force appropriate to the severity of the frontal or near-frontal impact (CG3)	•
— Advanced side-curtain ⁽⁵⁾ provide additional protection to front and rear outboard occupants in the event of a rollover (CJ5)	•
— Advanced supplemental front-seat-side ⁽⁵⁾ provide additional protection in the event of a side-impact collision (CGS)	•
— Driver's-side inflatable knee bolster ⁽⁵⁾ (CGY)	•
Electronic Stability Control (ESC) ⁽⁶⁾ — Includes Vehicle Stability Management System, Electronic Roll Mitigation, All-wheel Traction Control and Brake Assist (BNB)	•
Hill Start Assist — Prevents vehicle from rolling back for two seconds when starting vehicle on an incline (BNG)	•
Power Outlets — Two 12-volt, located on the instrument panel and in the rear cargo compartment (JKP) (JJM)	•
Ready Alert Braking — Anticipates situations when the driver may initiate an emergency stop and uses the ESC ⁽⁶⁾ pump to set the brake pads against the rotors, decreasing the time required for full brake application (BHD)	•
Full-size spare tire (TBB)	0
Sentry Key® Antitheft Engine Immobilizer — Electronic transponder in key ensures only valid key is being used to start the vehicle (BXX)	•
Speakers — Six (two instrument panel-mounted 2.5-inch tweeters, two front door 6- x 9-inch full-range speakers, two rear-door 6.5-inch full-range speakers) (RCG)	•
Trailer Sway Control — Works in tandem with ESC ⁽⁶⁾ to help improve handling in adverse towing conditions caused by crosswinds and traffic (BNT)	•
PACKAGES & EQUIPMENT GROUPS	
ParkView® Rear Back-up Camera ⁽³⁾ (XAC) — Includes Park-Sense® Rear Park Assist System ⁽²⁾ (XAA)	0
Skid Plate Group — Includes skid plates for the fuel tank, transfer case, front suspension and underbody (ADL)	0
Trailer Tow Group IV — Includes Class IV hitch receiver, 4- and 7-pin wiring harness, and a full-size spare tire (AHX)	0

• = Standard. 0 = Optional. P = Available within Package noted in parentheses.

SPECIFICATIONS

DODGE DURANGO SPECIAL SERVICE (26X) CPOS	
3.6L Pentastar™ VVT V6: 290 hp and 260 lb-ft of torque	•
800-amp maintenance-free battery (BCF)	•
Heavy-duty engine cooling (NMC)	•
220-amp alternator (BAJ)	•
5-passenger seating (CYD)	•
Spot lamp wiring prep (LNQ)	•
Reinforced door hinges	•
Heavy-duty engine cooling (NMC)	•
2 additional key fobs (XCH)	•
4-wheel disc heavy-duty brakes	•
Unique headliner/auxiliary red/white dome lamp	•

• = Standard.

DIMENSIONS*/SPECIFICATIONS*	
EXTERIOR	
Wheelbase	3,042 (119.8)
Overall Length	5,110 (201.2)
Overall Width (at mirrors)	2,172 (85.5)
Overall Height (at roof panel/at antenna)	1,801 (70.9) / 1,847 (72.7)
Front Track	1,623 (63.9)
Rear Track	1,627 (64.1)
Ground Clearance	207 (8.1)
Approach Angle (degrees)	16.3
Breakover Angle (degrees)	18.1
Departure Angle (degrees)	21.5
Cargo Volume Behind 2nd Row, litres (cu ft)	1,351 (47.7)
Cargo Volume Behind 1st Row with Rear Seats Folded, litres (cu ft)	2,393 (84.5)
Fuel Tank Capacity, litres (imp gal)	93.1 (20.4)



18-inch Painted Tech Silver Standard (WPC)


DIMENSIONS*/SPECIFICATIONS*	
INTERIOR	
Seating Capacity — 1st/2nd Row	2 / 3
Headroom — 1st/2nd Row	1,013 (39.9) / 1,011 (39.8)
Legroom — 1st/2nd Row	1,025 (40.3) / 981 (38.6)
Shoulder Room — 1st/2nd Row	1,486 (58.5) / 1,281 (50.4)
Hip Room — 1st/2nd Row	1,449 (57.0) / 1,088 (42.8)
Trailer Towing (when properly equipped)	
AWD, kg (lb)	3.6L V6 2,948 (6,200)
	5.7L V8 3,221 (7,200)

*All dimensions are in mm (in) unless otherwise noted.

POWER AND FUEL ECONOMY				
ENGINE/TRANSMISSION	HORSE-POWER	TORQUE (LB-FT)	L/100 KM (MPG)	
			CITY	HIGHWAY
3.6L Pentastar VVT V6/ 8-speed automatic	290	260	13.9 (20)	9.8 (29)
5.7L HEMI® VVT V8 with MDS/ 8-speed automatic	360	390	17.3 (16)	11.5 (25)

Based on 2015 *EnerGuide* fuel consumption ratings. Government of Canada test methods used. Your actual fuel consumption will vary based on driving habits and other factors. For *EnerGuide* information, please ask your retailer or visit the Government of Canada Web site: www.vehicles.nrcan.gc.ca

EXTERIOR COLOURS SEE YOUR RETAILER FOR DETAILS.



RAM 1500 SPECIAL SERVICE

SELECTED FEATURES AND OPTIONS	
ENGINES & TRANSMISSIONS	
5.7L HEMI® VVT V8 with FuelSaver Multi-Displacement System (MDS) (EZH) and 6-speed Automatic (D61)	25D
MECHANICAL FEATURES	
Alternator — 220-amp (BAS)	•
Axle — 3.55 ratio (DMD)	•
— 3.92 ratio (DMH)	0
Battery — 730-amp (BCN)	•
Engine Cooling — Heavy-duty (NMC)	•
Fuel Tank — 98-litre (NFW)	•
— 121-litre (NFX)	0
Shock Absorbers — Front and rear, heavy-duty (SFB) (SGB)	•
Stabilizer Bars — Front and rear (SHA) (SHF)	•
Steering — Electronic power rack and pinion (SBA)	•
Suspension — Front, upper and lower A-arms, coil springs, twin-tube shocks	•
— Rear, multilink, coil springs, twin-tube shocks	•
Trailer Hitch — Class IV with 4- and 7-pin harness connector (XFH)	0
Transfer Case — Electronic part-time (DH9)	•
Winch — Tire carrier (TBM)	•
EXTERIOR FEATURES	
Air Dam — Flexible 38-mm	•
Bed Rail Caps — Top covers for bed sides	•
Body Model — Crew Cab 5'7" box	•
Bumpers — Front and rear, Black (MB1) (MBN)	•
Door Handles — Black (MNA)	•
Fascia — Front, upper Black (MCL)	•
Glass — Tinted windows (GAC)	•
Grille — Black surround, Black hex-link (MFF)	•
Headlamps — Automatic (LMG)	•
— Quad lens, halogen (LME)	•

SELECTED FEATURES AND OPTIONS	
EXTERIOR FEATURES (CONTINUED)	
RamBox® Cargo Management System — Includes two locking, lighted, drainable bins, a cargo bed extender/divider and cargo rails with adjustable tie-down cleats (XBS)	0
Tailgate — Locking, removable, with lift assist (XJJ)	•
Tires — P265/70R17 BSW All-Season (TTM)	•
— LT265/70R17E OWL On/Off-Road (TXN)	0
— Spare, full-size (TBB)	•
Wheels — Steel spare (W1A)	•
— 17- x 7-inch styled steel, painted Argent (WFP)	•
Windshield Wipers — Variable/intermittent (JHA)	•
INTERIOR FEATURES	
Air Conditioning (HAA)	•
Assist Handle — Driver and passenger-side (CSP)	•
Bezel — Centre stack, Black (JBF)	•
Cluster — Instrument, with certified speedometer (JA4)	•
Defroster — Rear window (GFA)	0
Door Locks — Power (JPB)	•
Floor Covering — Heavy-duty vinyl (CKJ)	•
Lighting — Rear dome (LCH)	•
Mirrors, Rearview — Day/night, manual (GNA)	•
Power Accessory Delay (JKY)	•
Power Outlet — Two, 12-volt auxiliary (JJJ)	•
— 115-volt auxiliary (JKV)	•
Seats — Cloth bucket front seats with 10-way power adjustment for driver including 4-way lumbar adjust, 115-volt auxiliary power outlet, folding vinyl rear bench seat (*D5)	•
— Cloth 40/20/40 split front bench seat with 10-way power adjustment for driver including 4-way lumbar adjust, front armrest with 3 cup holders, 115-volt auxiliary power outlet, folding rear vinyl seat (*D7)	0
Speed Control (NHM)	•
Steering — Tilt column (SUA)	•
Steering Wheel — 4-spoke (SCF)	•

SELECTED FEATURES AND OPTIONS	
INTERIOR FEATURES (CONTINUED)	
Storage — Rear, in-floor storage bins, two with removable liners (CB9)	•
— Rear, underseat compartment (CUE)	•
Tip Start — One-step starting feature (XBN)	•
Windows — Power, front and rear with driver's one-touch up and down (JP3)	•
TECHNOLOGY	
Connectivity — 115-volt auxiliary input jack for mobile devices (JKV)	•
— 1.5-amp fully functioning USB port (included with Uconnect® 5.0 [RA2])	P
Radio — Uconnect 3.0 AM/FM (RA1)	•
— Uconnect 5.0 multimedia centre with 5-inch touchscreen, AM/FM, hands-free communication ⁽¹¹⁾ with Bluetooth® streaming audio and SiriusXM satellite radio with one-year subscription ⁽¹⁰⁾ (RA2)	0
Speaker System — Six (RCG)	•
SAFETY & SECURITY	
Air Bags — Advanced multistage front ⁽⁵⁾ (CG3)	•
— Supplemental side-curtain ⁽⁵⁾ (CGS)	•
— Supplemental front-seat-mounted side ⁽⁵⁾ (CJ1)	•
Brakes — Power-assisted 4-wheel antilock disc (BRT)	•
Electronic Stability Control (ESC) ⁽⁶⁾ — Includes ABS, Brake Assist, Rain Brake Support, Ready Alert Braking, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Control (BNB)	•
Seat Belts — Front, shoulder height-adjustable (CGD)	•
Sentry Key® Theft Deterrent System — Engine immobilizer (GXX)	•
Tire Pressure Monitor with Display (XGM)	•
PACKAGE GROUPS	
Protection Group — Includes tow hooks, transfer case skid plates and front suspension skid plates (ADB)	•
Remote Start and Security Group — Includes security alarm and Remote Start System (AJB)	0

• = Standard. P = Available within Package noted in parentheses. 0 = Optional. NOTE: Some features and/or applications may be late availability.

SPECIFICATIONS

RAM 1500 ADDITIONAL OPTIONAL EQUIPMENT	
Antispin differential rear axle (DSA)	0
Chrome tubular side steps by Mopar® (MRT)	0
Chrome wheel-to-wheel side steps (MRA)	0
Delete spray-in bedliner (XM9)	0
Floor-covering carpet (CKE)	0
Front and rear rubber floor mats (CLF)	0
ParkView® Rear Back-up Camera ⁽⁹⁾ (XAC)	0
Power, heated trailer-tow mirrors with lamps (GPG)	0
Rear window defroster (GFA)	0
Soft tri-fold tonneau cover (CS7)	0
Spray-in bedliner (XMF)	0
Trailer Brake Control (XHC)	0
Under-rail box bedliner (XME)	0

0 = Optional.



17-inch Argent Steel Standard (WFP)


DIMENSIONS*/SPECIFICATIONS* RAM 1500 (SWB)	
EXTERIOR	CREW CAB 4x4
Wheelbase	3,570 (140.5)
Box Length, m (ft)	1.7 (5'7")
Overall Length including Rear Bumper	5,817 (229)
Overall Height — Empty	1,968 (77.5)
Overall Width	2,017 (79.4)
Track (front/rear)	1,732 (68.2) / 1,715 (67.5)
Tailgate Load Height	885 (34.9)
Max GVWR, kg (lb)	3,130 (6,900)
Max Payload, kg (lb)	703 (1,550)
Max Towing, kg (lb)	4,609 (10,160)
Fuel Tank Capacity, litres (imp gal)	98 (26) / 121 (32)
Fuel Economy (city/highway mpg) ⁽¹²⁾	16 / 22

INTERIOR	
Headroom (front/rear)	1,041 (41) / 1,014 (39.9)
Hip Room (front/rear)	1,605 (63.2) / 1,605 (63.2)
Shoulder Room (front/rear)	1,676 (66) / 1,669 (65.7)
Legroom (front/rear)	1,041 (41.0) / 1,023 (40.3)
Seating Capacity (max)	6

DIMENSIONS*/SPECIFICATIONS* RAM 1500 (SWB)	
RAM PICKUP 5'7" BOX	
Number of Stake Pockets (per side)	2
Back of Cab to Pickup Box	16 (0.6)
Maximum Length at Floor	1,712 (67.4)
Max Length with Open Tailgate	2,324 (91.5)
Depth of Box	509 (20.0)
Box Floor to Top of Cab	1,106 (43.5)
Back of Cab to Centre of Rear Axle	710 (28.0)
Cargo Volume, cu m (cu ft)	1.4 (50.3)
Width between Wheelhousings	1,295 (51)
Stake Pocket Size	51 x 33 (2.0 x 1.3)
Maximum Width, Wall-to-Wall	1,687 (66.4)

*All dimensions are in mm (in) unless otherwise noted. Manufacturer's estimate. Depending on powertrain combination; will vary depending on driving habits. All specifications shown are based on 2015MY vehicle information. Towing and payload when properly equipped. See rambodybuilder.com for full specifications.

EXTERIOR COLOURS SPECIAL LOW-VOLUME PAINTS ARE ALSO AVAILABLE. SEE YOUR RETAILER FOR DETAILS.



DODGE CHARGER ENFORCER

SELECTED FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD
ENGINES & TRANSMISSIONS			
3.6L Pentastar™ Variable Valve Timing (VVT) V6 with 5-speed Auto/Stick™ Automatic (ERB)	•		
5.7L HEMI® VVT V8 with FuelSaver Multi-Displacement System (MDS) and 5-speed Auto/Stick Automatic (EZH) — Includes performance exhaust (NEA)		•	•
MECHANICAL FEATURES			
All-wheel Drive			•
Alternator — 220-amp (BAJ)	•	•	•
Automatic Headlamps (LMG)	•	•	•
Base Engine Controller (NZE)	0	0	0
Battery — 800-amp maintenance-free (BCF)	•	•	•
Brake Assist (BGE)	•	•	•
Brake/Park Interlock (XSL)	•	•	•
Electric Power Steering (SBL)	•	•	
Electro-hydraulic Power Steering (XXX)			•
Engine Block Heater (NHK)	•	•	•
Engine Hour Meter (XAX)	•	•	•
Engine Oil Cooler (NHA)	•	•	•
Flex Fuel Vehicle (XKN)	0		
Fuel Tank — 70-litre (15.4-imp gal) (NLQ)	•	•	•
Heated Washer Fluid Nozzles (XPD)	•	•	•
Heavy-duty Suspension (SDB)	•	•	•
High-speed Engine Controller (NZ5)	•	•	•
Load-levelling and Height Control (SER)	•	•	•
Power Accessory Delay (JKY)	•	•	•
Power Steering Cooler (NHF)			•
Primary Speedometer — 260-km/h (JDN)	•	•	•
Rear Axle — 195 mm (DR2)	•		
— 220 mm (DR3) (included with 5.7L HEMI V8)		•	
— 230 mm (DR4) (included with AWD)			•
Rear Axle Ratio — 2.62 RWD (DLL)	•	•	
— 3.07 (DMM)	0	0	•
Severe-duty Engine Cooling (XDK)	•	•	•
Tip Start (XBN)	•	•	•
WHEELS & TIRES			
P225/60R18 BSW Goodyear® Performance Tires (TWW)	•	•	•
P245/55R18 BSW Goodyear Performance Tires (TYL)	0	0	0
Full-size Spare (TBW) (includes vinyl trunk liner and cover [CKL])	•	•	•
Full-size Spare Delete (TBF) (includes Tire Service Kit [XFP])	0	0	0
18- x 7.5-inch Steel Wheels (WEJ) on RWD	•	•	

SELECTED FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD
WHEELS & TIRES (CONTINUED)			
18- x 7.5-inch Steel Wheels (WEG) on AWD			•
Bright Hub Caps (WMH) (standard on [WEJ] and [WEG] wheel)	•	•	•
18-inch Wheel Covers (W8A) on RWD (included with Street Appearance Group [AEB])	0/P	0/P	
18-inch Wheel Covers (W8B) on AWD (included with Street Appearance Group [AEB])			0/P
EXTERIOR FEATURES			
Acoustic Front-door Glass (GAP)	•	•	•
Acoustic Windshield (GAK)		•	•
All-wheel Drive Badge (MSX)			•
Black Door Handles (MNG) (included with Police special paints [P76], [P79], [PB5], [PB8], [PS2] and [PWL])	P	P	P
Black Exterior Mirrors (LE4) (included with Police special paints [P76], [P79], [PB5], [PB8], [PS2] and [PWL])	P	P	P
Black Headlamp Bezels (MFA)	•	•	•
Black Lower Body-side Cladding (MJB) (included with Police special paints [P76], [P79], [PB5], [PB8], [PS2] and [PWL])	P	P	P
Body-colour Door Handles (MNK) (not available with Police special paints [P76], [P79], [PB5], [PB8], [PS2] and [PWL])	•	•	•
Body-colour Exterior Mirrors (LEP) (not available with Police special paints [P76], [P79], [PB5], [PB8], [PS2] and [PWL])	•	•	•
Body-colour Lower Body-side Cladding (MRC) (not available with Police special paints [P76], [P79], [PB5], [PB8], [PS2] and [PWL])	•	•	•
Capless Fuel Filler (XJM)	•	•	•
Cargo Compartment Dress-up (CKM)	•	•	•
Charger Badge (MT1)	•	•	•
Dual Rear Exhaust (NER)	•	•	•
Dual-note Electric Horns (JJB)	•	•	•
Equipment Mounting Bracket (XFX) (requires [CUM]; not available with [CUF] or [CUG])	0	0	0
Front and Rear Solar-Control Glass (GBC)	•	•	•
Front Licence Plate Bracket (MDA)	•	•	•
Gloss Black Grille with Gloss Black Crosshairs (MAE)	•	•	•
Lamps — Bi-functional halogen projector headlamps (LMC)	•	•	•
— Black left spot lamp (LNF)	0	0	0
— CHMSL (LPA)	•	•	•
— LED spot lamps (LNX) (requires [LNF])	0	0	0
— Matching right spot lamp (LNA) (requires [LNF])	0	0	0
— Under-hood lamp (LDA)	•	•	•
Spare Tire Relocation Bracket (TBH)	0	0	0
Variable/Intermittent Windshield Wipers (JHA)	•	•	•

SELECTED FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD
EXTERIOR FEATURES (CONTINUED)			
White Graphics — All doors (M2C)	0	0	0
— Deck lid (M3H)	0	0	0
— Front doors (M2B)	0	0	0
— Hood (M3F)	0	0	0
— Roof (M3G)	0	0	0
INTERIOR FEATURES			
Air Conditioning with Dual-Zone Temperature Control (HAD)	•	•	•
Air Filtering (JMA)	•	•	•
Black Interior Accents (XSB)	•	•	•
Column-mounted Automatic Shift Lever (CV8)	•	•	•
Compass Gauge (JFA)	•	•	•
Deactivate Rear Doors and Windows (CW6)	0	0	0
Floor Covering — Black vinyl (CKJ) (requires [CUM]; not available with [CUF])	•	•	•
— Delete carpet (CK9) (requires [CKJ]; includes [CM8])	0	0	0
— Floor carpet (CKD) with front and rear floor mats (CLZ) (included with Street Appearance Group [AEB])	0/P	0/P	0/P
Instrument Cluster with Tachometer (JAY)	•	•	•
Integrated Window Antenna (RDL)	•	•	•
Leather-wrapped Steering Wheel (SCV)	•	•	•
Lighting — Front dome lamp (LCK) (not available with [AEB])	•	•	•
— Front reading/map lamps (LBG) (included with [AEB])	0/P	0/P	0/P
— Glove box lamp (LBC)	•	•	•
— Trunk lamp (LDC)	•	•	•
Mirrors — Power, heated, manual folding (GUK) (included with [AEB])	0/P	0/P	0/P
— Power, manual folding (GTF)	•	•	•
— Rearview day/night with microphone (GR4)	•	•	•
Non-adjustable Pedals (XA8)	•	•	•
Outside Temperature Display (LAH)	•	•	•
Passenger Assist Handles (CSR)	•	•	•
Power Adjustable Pedals (XAP) (included with Convenience Group I [AHM])	P	P	P
Power Driver and Front-passenger Seats (JPT/JRN) (included with Convenience Group I [AHM])	P	P	P
Power Front Windows with One-touch Up and Down (JP3)	•	•	•
Power Trunk Lid Release (JPC)	•	•	•
Rear Window Defroster (GFA)	•	•	•
Remote Fuel Door Release (JKD)	•	•	•
Seat Belts — Front, shoulder height-adjustable (CGD)	•	•	•
Seats — Fixed rear (CFW)	•	•	•
— Heavy-duty cloth bucket front and rear bench (*C8)	•	•	•

SELECTED FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD
INTERIOR FEATURES (CONTINUED)			
— Heavy-duty cloth bucket front with vinyl rear (*X5)	0	0	0
— Power six-way driver's (JPS)	•	•	•
Solar-Control Glass (GAM)	•	•	•
Speed Control (NHM)	•	•	•
Spot Lamp Prep (LNQ)	•	•	•
Sun Visors with Illuminated Vanity Mirrors (GNC)	•	•	•
Tilt/Limited Telescoping Steering Column (SUE)	•	•	•
Tire Pressure Monitor with Display (XGM)	•	•	•
TECHNOLOGY			
7-inch Customizable In-cluster Display (LAT)	•	•	•
Dual Remote USB Port — Charge only (RS4) (included with [AEB])	P	P	P
Media Hub — With SD card, USB port and auxiliary audio input jack (RSF) (included with full-length floor console [CUF])	P	P	P
Remote USB Port (RSX) (not available with [CUF])	•	•	•
Six Speakers (RCG)	•	•	•
Steering Wheel-mounted Audio Controls (RDZ)	•	•	•
Twelve-volt Centre Console Power Outlet (JKW)	•	•	•
Radio — Uconnect® 5.0 multimedia centre (RA2) with 5-inch touchscreen, AM/FM and hands-free communication ⁽¹¹⁾ with Bluetooth® streaming audio (XRB)	•	•	•
Remappable Steering Wheel Controls (LHL)	•	•	•
KEYS			
Additional Non Key-Alike Fobs (GXQ) (not available with [GXA], [GXE], [GXF] or [GXG])	0	0	0
Entire Fleet-Alike Key — (FREQ 1) (GXF) (not available with [GXG], [GXA] or [GXE])	0	0	0
— (FREQ 2) (GXA) (not available with [GXE] or [GXG])	0	0	0
— (FREQ 3) (GXE) (not available with [GXG])	0	0	0
— (FREQ 4) (GXG)	0	0	0
CONSOLES			
Full-length Floor Console (CUF) (included with Street Appearance Group [AEB])	P	P	P
Mini Floor Console (CUM)	•	•	•
Police Floor Console (CUG) (requires [CUM])	0	0	0
SAFETY & SECURITY			
Advanced Multistage Front Air Bags ⁽⁵⁾ (CG3)	•	•	•
All-Speed Traction Control (BNP)	•	•	•
Centre Rear Three-point Seat Belt (CG6)	•	•	•
Child Seat Anchor System (LATCH) (CF4)	•	•	•
Daytime Running Lamps (LM5)	•	•	•
Driver and Front Passenger-seat Steel Seatback Panel Inserts (CBT)	0	0	0
Electronic Stability Control (ESC) ⁽⁶⁾ (BNB)	•	•	•

SELECTED FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD
SAFETY & SECURITY (CONTINUED)			
Front-passenger Seat Belt Alert (LAX)	•	•	•
Hill Start Assist (BNG)	•	•	•
Hydraulic Assist Brake Booster (BPT)	•	•	•
Inside Emergency Trunk Lid Release (JKK)	•	•	•
Keyless Enter 'n Go™ with Proximity Entry (GX4)	•	•	•
Park-Sense® Rear Park Assist ⁽³⁾ System (XAA) (included with Fleet Park Assist Group [AMV])	P	P	P
ParkView® Rear Back-up Camera ⁽³⁾ (XAC) (included with Fleet Park Assist Group [AMV])	P	P	P
Police ABS Four-wheel Heavy-duty Disc Brakes (BR9)	•	•	•
Rain Brake Support (BHC)	•	•	•
Reactive Front Head Restraints ⁽⁴⁾ (CBD)	•	•	•
Ready Alert Braking (BHD)	•	•	•
Rear-door Child Protection Locks (GXT)	•	•	•
Secure Park (AXR)	•	•	•
Security Alarm (LSA)	0	0	0
Sentry Key® Antitheft Engine Immobilizer (GXX)	•	•	•
Speed-sensitive Power Locks (JPH)	•	•	•
Supplemental Front Seat-mounted Side Air Bags ⁽⁵⁾ (CJ1)	•	•	•
Supplemental Side-curtain Front and Rear Air Bags ⁽⁵⁾ (CJ2)	•	•	•
PACKAGES & EQUIPMENT GROUPS			
Convenience Group I (AHM) — Includes power adjustable pedals (XAP), power driver and front-passenger seats (JPT), and power driver/front-passenger four-way lumbar adjust (JRN)	0	0	0
Driver- and Passenger-side Ballistic Door Panels (XDV/XDG)	0	0	0
Fleet Park Assist Group (AMV) — Includes Park-Sense Rear Park Assist ⁽³⁾ System (XAA) with ParkView Rear Back-up Camera ⁽³⁾ (XAC)	0	0	0
Max Flow Package (AYJ) — Includes lower police grille texture	0	0	0
Base Police Prep Package (AYE) — Includes front and rear wire harness (XPW), Power Distribution Centre (PDC) (XWK), siren speaker and bracket (XWP), trunk tray and cooling fan (XWQ)	0	0	0
Police Wiring Prep Package (AYW) — Includes front and rear wire harness (XPW) and PDC (XWK)	0	0	0
Street Appearance Group (AEB) — Includes 18-inch wheel covers ([W8A] on RWD, [W8B] on AWD), front/rear climate control outlets (XGA), floor carpet (CKD) with front and rear floor mats (CLZ), dual remote USB port — charge only (RS4), media hub with SD card, USB port and auxiliary audio input jack (RSF), front reading/map lamps (LBG), full-length floor console (CUF), illuminated front cup holders (CWP) and power, heated, manual folding mirrors (GUK) (requires non-police paints [PSC], [PWD], [PW7], [PX8], [PXT], [PRY], [PBX] or [PAU])	0	0	0

• = Standard. 0 = Optional. P = Available within Package noted in parentheses.



RWD 18-inch Steel Wheel (WEJ) with Bright Hub Cap (WMH)

RWD 18-inch Wheel Covers (not shown) Available (W8A)



AWD 18-inch Steel Wheel (WEG) with Bright Hub Cap (WMH)

AWD 18-inch Wheel Covers (not shown) Available (W8B)

EXTERIOR COLOURS



CHARGER ENFORCER SPECIFICATIONS

CHARGER ENFORCER (27A/29A)

Generous interior space in both the front and rear for driver and passengers, sculpted front seats that accommodate a full duty belt and a cavernous trunk. Ready to roll, Dodge Charger Enforcer offers total capability and capacity to do the job right.

CRITICAL MEASURES*



Passenger Volume, L (cu ft)	2,965 (104.7)
Total Volume Index, L (cu ft)	3,432 (121.2)
Trunk Volume, L (cu ft)	467 (16.5)
Turning Diameter (curb-to-curb), m (ft)	RWD 11.5 (37.7) / AWD 11.8 (38.7)
Axle Ratios (:1)	
3.6L V6 RWD (std / opt)	2.62 / 3.07
5.7L V8 RWD (std / opt)	2.62 / 3.07
5.7L V8 AWD	3.07
Headroom	— Front 981 (38.6) — Rear 931 (36.6)
Shoulder Room	— Front 1,510 (59.5) — Rear 1,472 (57.9)
Hip Room	— Front 1,428 (56.2) — Rear 1,425 (56.1)
Legroom	— Front 1,061 (41.8) — Rear 1,019 (40.1)
Seating Capacity	— Front 2 adults — Rear 3 adults

*All dimensions are in mm (in) unless otherwise noted. Manufacturer's estimate. Depending on powertrain combination; will vary depending on driving habits. All specifications shown are based on 2015MY vehicle information. Towing and payload when properly equipped.

DIMENSIONS*/SPECIFICATIONS*

EXTERIOR		
Wheelbase		3,052 (120.2)
Overall Length		5,040 (198.4)
Overall Height		1,482 (58.4)
Overall Width		1,905 (75.0)
Front Track		1,611 (63.4)
Rear Track		1,620 (63.8)
Curb Weight (est.), kg (lb)	3.6L V6 RWD	1,868 (4,119)
	5.7L V8 RWD	1,965 (4,332)
	5.7L V8 AWD	2,035 (4,485)
Ground Clearance		130.0 (5.1)
Fuel Tank Capacity, L (imp gal)		70.0 (15.4)

*All dimensions are in mm (in) unless otherwise noted. Manufacturer's estimate. Depending on powertrain combination; will vary depending on driving habits. All specifications shown are based on 2015MY vehicle information. Towing and payload when properly equipped.



SERVING WITH STRENGTH, SAFETY AND
SECURITY

OUR LAW IS FOUNDED ON THE STRENGTH OF OUR COMMITMENT | EMPLOYING HIGHER TECHNOLOGY FOR GREATER AUTHORITY LAYING DOWN THE LAW: – PERFORMANCE – SAFETY – INTEGRITY | UNCOMPROMISING PRINCIPLES MEET UNSTOPPABLE PERFORMANCE | SAFELY PROTECTING THOSE WHO PROTECT AND SERVE | THE NEW BENCHMARK FOR SPECIAL SERVICE VEHICLES



DODGE

FLEET.CHRYSLER.CA // 1-800-463-3600



Since the time of printing, some of the information you'll find in this brochure may have been updated. Ask your retailer for details. Some of the equipment shown or described throughout this brochure may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA Canada Inc. reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. All options are required in combination with other options. Vehicle images throughout are shown with additional accessories. For the price of the model with the equipment you desire, or verification of specifications contained herein, see your retailer. Chrysler, Dodge, Durango, Ram, the Ram's Head logo, Charger, Charger Enforcer, HEMI, Mopar, Park-Sense, ParkView, RamBox, Sentry Key and Uconnect are registered trademarks, and Keyless Enter 'n Go, Pentastar and ProMaster are trademarks of FCA Canada Inc. ©2015 FCA Canada Inc. All Rights Reserved. Auto/Stick is a trademark of Hurst Performance. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Cummins is a registered trademark of Cummins, Inc. Edmunds and the Edmunds.com logo are registered trademarks of Edmunds.com, Inc. Goodyear is a registered trademark of The Goodyear Tire & Rubber Company. SiriusXM and all related marks and logos are trademarks of SiriusXM Radio Inc. Havis is a registered trademark of Havis, Inc.

⁽¹⁾Based on *Ward's* Large Van segmentation. ⁽²⁾2015 Chrysler, Jeep, Dodge and Ram vehicles are backed by a 5-year or 100,000-kilometre* fully transferable Powertrain Limited Warranty with \$0 deductible plus 24-hour roadside assistance¹. Basic Warranty coverage is for 3 years or 60,000 kilometres* Rust-through coverage on all body sheet metal is for 3 years. The Dodge Charger Enforcer is covered by the 5-year or 160,000-kilometre* fully transferable Powertrain Extended Service Plan. The Cummins Turbo Diesel engine is protected by a separate Limited Warranty, covering the engine for 5 years or 160,000 kilometres. *Whichever comes first. Some conditions may apply. ⁽³⁾The 5-Year/100,000-Kilometre Powertrain Limited Warranty does not apply to vehicles sold for certain commercial uses. See your retailer for full details. ⁽⁴⁾This is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of his/her surroundings and be prepared to take corrective action to avoid collisions. ⁽⁵⁾Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. ⁽⁶⁾The advanced front air bags in this vehicle are certified to the federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. ⁽⁷⁾No system can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. ⁽⁸⁾Based on *Automotive News* Full-size Pickup segmentation. ⁽⁹⁾Based on *Ward's* Mid-size Sport Utility segmentation. ⁽¹⁰⁾Never program while driving. GPS mapping and available 3D navigation may not be detailed or available in all areas or reflect current road regulations. ⁽¹¹⁾Requires SiriusXM radio subscriptions governed by SIRIUS terms and conditions available at siriusxm.ca. ⁽¹²⁾Driving while distracted can result in loss of vehicle control. Only use mobile phones and other devices, even with voice commands, when it is safe to do so. Voice commands of phone require a Bluetooth compatible phone. ⁽¹³⁾Based on 2015 *EnerGuide* fuel consumption ratings. Government of Canada test methods used. Your actual fuel consumption will vary based on driving habits and other factors. Use for comparison purposes only. Ask your retailer for *EnerGuide* information.